


# Bentonville West Sports Medicine Emergency Action Plan

## Baseball/Softball Complex

**Address:** 1355 Gamble Road, Centerton, AR 72719 **GPS Coordinates:** 36.37970, -94.29849



## Emergency Action Plan Key

Complex Entrance: ★	Tornado Shelter: 	AED:  *A2E1 key to open concession stand*
Home Lightning Shelter: 	Visitor Lightning Shelter: 	EMS Entrance: Complex Entrance

### **Role of First Responders (ideally: ATC, head coach, or administrator)**

1. Ensure scene safety and begin immediate care of the injured or ill athlete
2. Activate EMS
  - a. Designate an individual to call 911  
Provide pertinent information: name, location, telephone number, number of injured individuals, condition of the injured, first aid rendered, specific directions
3. Designate retrieval of emergency equipment \*AED IN BATHROOM BREEZEWAY IF ATHLETIC TRAINER IS NOT PRESENT\*

### **Role of Second Responders (ideally: athletic training student(s), assistant coach(es), administrator, resource officer, etc)**

1. Call 911

- a. Provide pertinent information: name, location, telephone number, number of injured individuals, condition of the injured, first aid rendered, specific directions
2. Retrieve emergency equipment \*AED IN BATHROOM BREEZEWAY IF ATHLETIC TRAINER IS NOT PRESENT\*
3. "Flag down" EMS and direct them to scene
4. Scene control: limit scene to first responders and medical personnel only- remove bystanders (athletes, parents [even if it is the injured athlete's], additional coaches, etc) from area
5. Contact injured athlete's parent or guardian
6. Contact Athletic Training staff if not present

### **Venue Directions**

Enter off Gamble Road at the Northeast entrance of the school. Baseball/Softball fields will be along the back row of the parking lot. Baseball field is facing towards the east and softball field is facing towards the west. Enter through complex entrance.

### **Emergency Personnel**

Certified athletic trainer and athletic training student(s) on site for home competition. Additional sports medicine staff may be accessible from the Den and Gym athletic training rooms.

Rachael Coover	479-216-4459
Craig Lowry	214-725-4314
Joey Carroll	727-667-3996
Den Athletic Training Room	479-285-9695
Gym Athletic Training Room	479-286-9678

### **Emergency Equipment**

Games: AED, splint bag, and first aid kit stocked with basic wound care supplies will be located in the home dugout at the end of the bench closest to the bull pen. Additional equipment may be accessible from the Den indoor facility and Gym athletic training rooms.

Practices: AED located in bathroom breezeway; additional equipment (splint bag, crutches, pulse oximeter, blood pressure cuff, stethoscope, etc.) may be accessible from the Den and Gym athletic training rooms.

### **Lightning Policy**

In the event of lightning being present, the athletic trainer will alert all coaches & officials when lightning is detected within 10 miles of the facility. Should an athletic trainer not be present, coaches should check their phones for lightning notifications or email communication from athletic trainers/Perry Weather.

In either event, all individuals are to leave the athletic site and head for safe shelter. The home team will go to their locker room, and the visiting team will go to the indoor football facility. Teams must wait until the athletic trainer has given clearance, 30 minutes after the last lightning strike is detected. Each time there is a new strike of lightning within 10 miles the 30 minute time must restart. If 30 minutes has passed and lightning has not been recorded within 10 miles, the athletic trainer can give clearance to return to participation.

## **Emergency Contact List**

**Emergency– 911**

**Police– (479) 795-4431**

**Fire– (479) 795-2550**

**Rachael Coover**

Athletic Trainer

(479) 216-4459

**Joey Carroll**

Athletic Trainer

(727) 667-3996

**Craig Lowry**

Athletic Trainer

(214) 725-4314

**Anthony Dillingham**

Athletic Director

(918) 798-4500

**Billy Tipps**

District Athletic Director

(972) 953-6245